


Folding Arm Awnings

Click here to view this brochure




Victorian Awnings

Click here to view this brochure




Butterfly Awnings

Click here to view this brochure



Drop Arm Awnings

Click here to view this brochure



Traditional Awnings

Click here to view this brochure



Awnings



Dbreezefree

Folding Arm Awnings

Contents

- 3 Introduction
- 4 Topas Awnings
- 5 General Features
- 6 Specifications
- 7 Cassette Cross-Section
- 8 Fixing Options
- 9 Metalwork Colours
- 10 1500 Awnings
- 11 General Features
- 12 Specifications
- 13 Cassette Cross-Section
- 14 Fixing Options
- 16 Metalwork Colours
- 17 Fabric Colours
- 18 Branding
- 19 Remote Control
- 20 Heating
- 21 Lighting



Introduction

Our contract range of high quality folding arm commercial awnings are durable and stylish, whether being used for shelter or for advertising.

Modern design and engineering make our commercial awnings attractive and highly functional additions to any establishment, and our broad range accommodates all budgets.

Benefits

- Attract passers by and increase turnover.
- Extend alfresco trading to virtually all year round.
- Increase visibility and raise awareness.
- Enliven any front of house alfresco area.
- Protect customers from the elements.
- Reduce dust and dirt blown into the premises from the street.
- Improve customer privacy and attract families.
- Customise with menu cases and other accessories.





Topas Awnings

Small, compact and variable is the best way to describe this entry model awning. Topas Awnings are available without a hood, making them especially suited for installation under balconies or protruding roofs, or with a ready-mounted aluminium hood for wall mounting.






Topas Awnings

General Features


- Low installation height/depth for Awning Standard with and without hood.
- Extruded top section.
- Beautifully shaped front rail with matching end caps.
- Cast aluminium top plates.
- Gutter incorporated with controlled drain age into the front rail.
- Tilting arm with chain.
- Drop forged arm parts.
- High arm tension and fabric fixing to ensure the fabric is taut.
- Coupled units with jockey cover or sliding support.
- Gutter incorporated into the front rail with controlled drainage.
- Powder coating in 47 standard colours
- Surface permanently resistant to scratching and weather.
- Large selection of fabrics available.







Specifications



Width	Number of Sections	Number of Arms	Maximum Projection
up to 6000mm	1	2	????
6010mm - 6500mm	1	2	4000mm
6510mm - 7000mm	1	3	4000mm
7010mm - 12000mm	2	4	4000mm


Cover Fabric Options	Features	Drive Options
Acrylic	Wide selection of unicolour and impregnated watertight striped fabrics.	Crank mechanism
Polyester	Colour-fast to avoid bleaching in sunlight. More light and wind permeable than acrylic	Remote-controlled motor




Topas Awnings

Cassette Cross-section

Topas with hood




Topas without hood







Topas Awnings

Fixing Options









Metalwork Colours

Standard RAL colours for Topas Awning metalwork. Other RAL colours available upon request.

Please note that these colours are indicative only. For a true colour reference, please consult a RAL swatch book.





1500 Awnings

1500 Awnings have a stylish, unique form which has won it the IF Product Design Award. They boast gas piston-tensioned arms to ensure a taut fabric canopy and are easily adjustable to provide full, or partial cover to most areas.






General Features


- Semi-cassette folding arm awning. The dynamically rounded coverboard gives the awning the appearance of a full cassette.
- Aluminium front profile with optional valance.
- Ovoid folding arms with unique gas piston technology ensure a taut cover in every extended position.
- Sturdy, round steel torque bar, 50 mmØ, to prevent twist and deflection.
- Folding arms with drop-forged joint components and Teflon-coated bronze bushes, which provide superior robust ness and durability.
- Coverboard with integrated brush, so that larger pieces of debris cannot be drawn into the awning.
- Awning covers made of acrylic fabric or sunsilk snc with self-cleaning effect.
- Powder coating in 7 standard colours.
- Large selection of fabrics available.







Specifications




Width	Maximum Projection
1930mm - 2600mm	2000mm
2610mm - 3100mm	2500mm
3110mm - 3600mm	3000mm
3610mm - 6100mm	3500mm
6110mm - 6600mm	3000mm

Cover Fabric Options	Features	Limitations
Sunsilk		
Acryic 34		
Widely woven acrylic		Up to 3000mm projection, 5600mm width
Soltis 92		Up to 2500mm projection, 6100mm width
PVC Fabric		Up to 2500mm projection, 6100mm width






Cassette Cross-section






Fixing Options


Top Fixed




Back Fixed



Back Fixed with Spreader Plate (A)









Fixing Details




Back Fixed with Spreader Plate (B)







Back Fixed Stand-Off Bracket











Metalwork Colours

Standard RAL colours for 1500 Awning metalwork. Other RAL colours available upon request.

Please note that these colours are indicative only. For a true colour reference, please consult a RAL swatch book.







Canopy Colours

With a wide range of fabric colours, Folding Arm Awnings can be customised to create an eye-catching splash of colour, compliment an existing theme or enhance an outdoor area.



020 8877 3030 • breezefree.com

8203

6028



Branding

Breezefree's print department will ensure that your parasols project your image effectively. The possibilities are almost limitless, from simple logos through to large, complex designs.






Remote Control

Folding Arm Awnings can be manually operated or motorised and extended/retracted via remote controle.


A single remote control can be programmed to control multiple awnings.





Heating

Infrared or lightless ceramic heaters can be installed under most Folding Arm Awnings.






Lighting

Lighting can be incorperated into the front profile of some Folding Arm Awnings.

Strip lighting can also be installed underneath the awning cassette to light up the alfresco area or the underside of the cover





Unit 7 Mitcham Industrial Estate Streatham Road Mitcham CR4 2AP





Dbreezefree

Victorian Awnings

Contents

- 3 Introduction
- 4 General Features
- 5 Woodwork Colours
- 6 Canopy Colours
- 7 Branding



Introduction


Victorian pull-out awnings are built in the same way as they were in Victorian times, using Douglas Fir timber and wall mounted slides and arms.

They are the classic choice for listed buildings and premises with traditional facades.



General Features

- Operational in winds of up to Beaufort Force 7.
- Warranted for up to 2 years.
- Up to 3m projection x 6m width giving 18sqm cover.
- Wide choice of plain and patterned fabrics with optional valances.
- UV and water resistant canopy fabrics and valances can be printed on one or both sides with any branding or design.







Woodwork Colours

The awning roller housing and wooden lath can be painted with any standard paint suitable for outdoor use. Opposite are just a few colour suggestions.

Please note that these colours are indicative only. For a true colour reference, please contact us for a swatch or sample.







Canopy Colours

With a wide range of fabric colours, Folding Arm Awnings can be customised to create an eye-catching splash of colour, compliment an existing theme or enhance an outdoor area.



020 8877 3030 • breezefree.com

8203

6028



Branding

Breezefree's print department will ensure that your parasols project your image effectively. The possibilities are almost limitless, from simple logos through to large, complex designs.





Unit 7 Mitcham Industrial Estate Streatham Road Mitcham CR4 2AP





Dbreezefree


Butterfly Awnings

Overview

Essentially two back to back folding arm awnings, butterfly awnings are mounted onto freestanding goal posts where attachment to a building is not possible or desirable.


Gas piston stabilization ensures wind resistance of up to 60Km/hr (Gale Force 6) whilst maintaining consistent fabric tension.

With a maximum size of 8m by 6.5m, butterfly awnings can be conjoined for increased coverage and an integrated brush system removes debris from the fabric as it retracts.



Features

- Freestanding, with planters or ground mounting options available.
- Manual or motorised operation.
- Easily branded on either or both sides.
- Drop-down side blind options available.
- Integrated heating and lighting accessories available.





Unit 7 Mitcham Industrial Estate Streatham Road Mitcham CR4 2AP





Dbreezefree

Traditional Awnings



Overview

Wall or shopfront mounted, these blinds provide a continental look to any facade. French Blinds are fixed whilst Dutch Blinds are retractable and available with manual or motorised operation, both offering a maximum 5m width by 2m projection/drop.





Fixed Wedge Awnings

Fixed Sunblinds consist of a branded or pattered fabric, attached to the front of a building. They provide minimal shelter but can help provide shade from direct sunlighg to patrons inside.

They provide excellent branding opportunities and are often used by high street chains to improve the visibility of their establishments.

Fixed Wedge awning can be made with our without side panels and valances.





Approach Awnings

Approach Awnings are fixed, arched awnings that provide shelter over entranceways. They can be custom made to almost any size or length and are a traditional, eye-catching addition to the outside of hotels and restaurants.





Dutch Blinds

Providing a traditional continental café look, Dutch blinds are a great way to give your establishment more character while providing retractable shade and shelter to customers.





Unit 7 Mitcham Industrial Estate Streatham Road Mitcham CR4 2AP

