


- 4 Introduction
- 5 Gallery
- 10 Features & Components
- 12 Dimensions
- 13 Details
- 15 Fixing Options
- 16 Fabric Colours
- 17 Metalwork Colours
- 18 Branding
- 19 Remote Control



Contract-quality folding-arm awnings, such as our Topas Awnings, are durable and stylish. They can be used to provide shade and shelter from light rain as well as adding a splash of colour or a space for branding to a building facade.


- Increase visibility and attract passers by.
- Extend alfresco trading by providing shade and shelter from light rain.
- Allows an outdoor space to be used in the evenings and in colder conditions when combined with other products such as SmartScreens, heaters and lighting.
- Advertising and branding opportunities on the awning cover and valance.















- Gutter integrated into the front rail.
- • Can be pitched up to 40°.
- High arm tension keeps the cover taut
- • Awnings can be coupled to cover areas of any length.
- • Huge selection of fabric colours and patterns available.
- • Optional fabric valance.
 - Cassette, hood and arms can be powder-coated in a wide range of colours.






SINGLE AWNINGS

WIDTH - mm	NUMBER OF ARMS	MAXIMUM PROJECTION - mm
1850 - 2000	2	1500
2000 - 2500	2	2000
2500 - 3000	2	2500
3000 - 3500	2	3000
3500 - 4000	2	3500
4000 - 6500	2	4000
6500 - 7000	3	4000

Min 5°

Max 40°

We recommend that awnings are pitched at least 15° to avoid water pooling and stretching the fabric.




DOUBLE AWNINGS

WIDTH - mm	NUMBER OF ARMS	MAXIMUM PROJECTION - mm
6000 - 6500	4	1500
65000 - 7500	4	2000
7500 - 8500	4	2500
8500 - 12000	4	3000

	DRIVE OPTIONS
	Crank Mechanism
Rer	note-controlled motor


COVER FABRIC OPTIONS	FEATURES
Acrylic	Wide selection of uni-colour and impregnated watertight striped fabrics
Polyester	Colour-fast to avoid bleaching in sunlight. More light and wind-permiable than acrylic.

TOPAS WITH HOOD




Can be fixed to a building wall and be left protruding. The Aluminium hood protects the awning cassette when closed.

TOPAS WITHOUT HOOD



Best installed underneath a soffit to protect the exposed awning cassette.



AWNINGS I topas FABRIC COLOURS A | 3-871 A | 3-719 A | 3-873 A | 3-716 A | 3-501 P | 6-381 A | 3-884 P | 6-410 A | 3-830-240 P | 6-390 A | 3-832 P | 6-391 A | 3-836 P | 6-390 P | 6-394 A | 3-837 A | 3-838 P | 6-335 A | 3-598 A | 3-842 A|3-725 A | 3-864 P | 6-396 P | 6-401 P | 6-399 P | 6-400 A | 3-853 A|3-850 A | 3-859 P | 6-405 P | 6-403 P | 6-404

Don't see the colour you want? Please contact our team and we'll do our best to find a match. Please note: colours shown are indicative only. For an exact match, please contact Breezefree and request a physical sample.

METALWORK COLOURS



Don't see the colour you want? Please contact our team and we'll do our best to find a match.

Please note: colours shown are indicative only. For an exact match, please contact Breezefree and request a physical sample.

Breezefree's print department will ensure that your awnings project your image effectively. The possibilities are almost limitless, from simple logos through to large, complex designs.



REMOTE CONTROL

Topas Awnings can be manually operated or motorized and extended/retracted via remote control.

A single remote control can be programmed to control multiple awnings.





Unit 7 Mitcham Industrial Estate Streatham Road Mitcham CR4 2AP

+44 (0)20 8877 3030 | breezefree.com