


- 4 Introduction
- 5 Gallery
- 10 Panels
- 11 Branding
- 12 Canvas Colours
- 14 Posts
- 16 Bases
- 17 Ground Sockets
- 18 Safe & Secure

Our most popular barrier system, SmartScreens are high-quality and designed and installed to suit your specific needs.


A variety of posts, panels and branding options will ensure that your alfresco area is as unique as your establishment and really stands out.











SmartScreen panels come in a variety of materials - including canvas in a variety of colours and a breathable, fully brandable mesh.

Panel lengths are made to order to ensure your SmartScreens fit your area perfectly.

PANEL TYPE	MAX RECOMMENDED LENGTH	
Polyester & Acrylic Canvas	2000mm	
Reinforced & Clearview PVC		
Breathable Mesh		

Canvas panels can be branded with simple logos to promote your business or a brand.

Mesh and PVC Screens can be fully printed - perfect for complex designs or temporary promotions.



SmartScreens with branded canvas panels

SmartScreens with fully printed mesh panels



Amande

7244

Menthe

7557

Emeraude

7297

CANVAS PANEL COLOURS





Don't see the colour you want? Please contact our team and we'll do our best to find a match.

Please note: colours shown are indicative only. For an exact match, please contact Breezefree and request a physical sample.


Made from 316 marine-grade Stainless Steel, SmartScreen posts are built to last and can withstand rigorous commercial use.

SmartScreens come in three standard Ranges: 97, 160 and 220.

The smaller posts can be supplied with either bases or ground sockets, while the taller posts are installed in ground sockets only, to ensure stability.

Posts can also be powder-coated almost any colour to give a unique look and complement your brand.

RANGE	POST HEIGHT	BASES	GROUND SOCKETS
97	970mm	✓	✓
160	1600mm	X	✓
220	2200mm	X	✓



Range 97 SmartScreens can either be supplied on bases, installed in ground sockets, or a combination of the two.

Bases come in a range of weights and diameters to suit different applications and environments - from 25Kg for standard use, to 38kg for windy sites.


NOTE: BASES ARE FOR RANGE 97 SMARTSCREENS ONLY

BASE TYPE	WEIGHT	DIAMETER
Standard	25kg	330mmØ
Wide	25kg	400mmØ
Heavy Contract	38kg	400mmØ

All our SmartScreens can be installed in ground sockets, providing a clean finish to any alfresco area and ensuring the space is maximised.

While ground sockets make the SmartScreens feel permanent, all equipment can be removed and sockets covered over easily, should you require the space to be flexible.

Ground sockets can be installed on a variety of surfaces, including in or along decking and up steps.











When SmartScreens are likely to be removed frequently, special "self-closing" ground sockets can be installed.

These come with a hinged lid which falls shut automatically when the post is removed, ensuring there are no trip hazards.

The posts can also be locked in place with a simple tab and padlock, ensuring extra security.





∠breezefree

Unit 7 Mitcham Industrial Estate Streatham Road Mitcham CR4 2AP