# 10-32 GLASS ROOFS I LeanTo



### VERSATILITY + ELEGANCE IN MOTION

## GLASS ROOFS | LeanTo

- 4 Introduction
- 5 Gallery
- 9 Specifications


# GLASS ROOFS | LeanTo

LeanTo retractable systems are ideal extensions to existing buildings and bring the flexibility of an all year round indoor/outdoor living experience to any terrace, courtyard, patio, roof space, reception area or swimming pool. Ideal for restaurants, cafés, hotels, pubs, bars, ffices, schools, carehomes, residential homes and other premises, applications are virtually endless, whether used for roof terraces, patios, function rooms, break out areas, outdoor classrooms, reception areas or pool houses.










#### Specifications

#### **R1** Retraction:


Largest modules at the end








**R1 Retraction:** Largest modules in the middle








#### **R1** Retraction:

Largest modules at the fixed end





#### Specifications

#### DL LeanTo



| Max Width  | 8m                     |
|------------|------------------------|
| Max Length | 60m                    |
| Frames     | 3                      |
| Operation  | Motorised or manual    |
| Glazing    | Polycarbonate or glass |

EL LeanTo




| Max Width  | 7m                      |
|------------|-------------------------|
| Max Length | 60m                     |
| Frames     | 2                       |
| Operation  | Motorised or manua l    |
| Glazing    | Polycarbonate or glas s |

**LeanTo** retractable systems are environmentally friendly and efficient. Insulated glazing provides good thermal insulation and the options of full or partial opening give you the control of your new micro climate in harmony with the elements of nature.

LeanTo retractable systems are manufactured to site specific and user needs from 3 base models enabling the highest wind and snow loadings to be met. There are extensive door and window options to provide access and ventilation to meet the most demanding operational needs and without having to fully open the system.

With **LeanTo** retractable systems, your alfresco spaces are no longer limited to being outdoor spaces only, open it and there is nothing left between you and the sky.

VL LeanTo



| Max Width  | 10m                     |
|------------|-------------------------|
| Max Length | 60m                     |
| Frames     | 4                       |
| Operation  | Motorised or manua l    |
| Glazing    | Polycarbonate or glas s |



Unit 7 Mitcham Industrial Estate Streatham Road Mitcham CR4 2AP

+44 (0)20 8877 3030 | breezefree.com | libart.co.uk